

Program	Nb_E	Nb_CE	LF			BA
			$\leq 1$	$\leq 2$	$\leq 3$	
V1	1	131	131	131	131	131
V2	2	67	67	67	67	67
V3	1	23	23	23	23	13
V4	1	20	4	4	4	20
V5	1	10	9	9	9	10
V6	1	12	11	11	11	12
V7	1	36	36	36	36	36
V8	1	1	1	1	1	1
V9	1	7	7	7	7	7
V10	2	14	12	12	12	14
V11	2	14	12	12	12	14
V12	1	70	45	45	45	48
V13	1	4	4	4	4	4
V14	1	50	50	50	50	50
V16	1	70	70	70	70	70
V17	1	35	35	35	35	35
V18	1	29	28	28	28	29
V19	1	19	18	18	18	19
V20	1	18	18	18	18	18
V21	1	16	16	16	16	16
V22	1	11	11	11	11	11
V23	1	41	41	41	41	41
V24	1	7	7	7	7	7
V25	1	3	2	2	2	3
V26	1	11	7	7	7	11
V27	1	10	9	9	9	10
V28	1	75	74	74	74	58
V29	1	18	17	17	17	14
V30	1	57	57	57	57	57
V34	1	77	77	77	77	77
V35	1	75	74	74	74	58
V36	1	122	120	120	120	122
V37	1	94	21	22	22	94
V39	1	3	2	2	2	3
V40	2	122	0	72	72	122
V41	1	20	16	16	16	20

Table 1: Number of errors localized for the benchmark TCAS. The columns LF and BA represent the results respectively of `LocFaults` and `BugAssist`. The column "Program" provides versions of TCAS benchmark; "N\_E" column indicates the number of errors in each TCAS version, while "Nb\_CE" column specifies the number of counterexamples used for each version.